

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	PPLICATION NO. FILING DATE		FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
09/836,045	04/16/2001		William P. Apps	RPC 0544 PUS	5964		
22045	7590	03/18/2003					
BROOKS &			EXAM	EXAMINER			
1000 TOWN SOUTHFIEL				CASTELLANC	CASTELLANO, STEPHEN J		
	•			ART UNIT	PAPER NUMBER		
				3727			
				DATE MAILED: 03/18/2003	DATE MAILED: 03/18/2003		

Please find below and/or attached an Office communication concerning this application or proceeding.

			ha				
	Application N .	Applicant(s)	////				
	09/836,045	APPS, WILLIAM	P.				
Office Action Summary	Examiner	Art Unit	-				
	Stephen J. Castellano	3727					
The MAILING DATE of this communication appears on the cover sheet with the c rrespondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period w Failure to reply within the set or extended period for reply will, by statute, - Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). Status	66(a). In no event, however, may a within the statutory minimum of th ill apply and will expire SIX (6) MC cause the application to become A	reply be timely filed irty (30) days will be considered timel INTHS from the mailing date of this c ABANDONED (35 U.S.C. § 133).					
1) Responsive to communication(s) filed on	<u> </u>						
2a)⊠ This action is FINAL . 2b)□ Thi	s action is non-final.						
Since this application is in condition for allowat closed in accordance with the practice under the disposition of Claims			ne merits is				
4)⊠ Claim(s) <u>1-36</u> is/are pending in the application		•					
4a) Of the above claim(s) is/are withdraw							
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>1-36</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/or	election requirement.						
Application Papers							
9) The specification is objected to by the Examiner	•.						
10) The drawing(s) filed on is/are: a) accep	ted or b) objected to by	the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
11) The proposed drawing correction filed on is: a) approved b) disapproved by the Examiner.							
If approved, corrected drawings are required in reply to this Office action.							
12)☐ The oath or declaration is objected to by the Example 12.	aminer.						
Priority under 35 U.S.C. §§ 119 and 120							
13) Acknowledgment is made of a claim for foreign	priority under 35 U.S.C	. § 119(a)-(d) or (f).					
a) ☐ All b) ☐ Some * c) ☐ None of:							
 Certified copies of the priority documents 	s have been received.						
2. Certified copies of the priority documents	s have been received in	Application No					
 3. Copies of the certified copies of the prior application from the International But * See the attached detailed Office action for a list 	reau (PCT Rule 17.2(a))	•	Stage				
14) ☐ Acknowledgment is made of a claim for domestic	priority under 35 U.S.C	c. § 119(e) (to a provisiona	l application).				
 a) The translation of the foreign language pro 15) Acknowledgment is made of a claim for domesting 	• •						
Attachment(s)							
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449) Paper No(s)	5) Notice of	v Summary (PTO-413) Paper No f Informal Patent Application (PT					

Application/Control Number: 09/836,045

Art Unit: 3727

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless - ·

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-36 are rejected under 35 U.S.C. 102(b) as being anticipated by Apps et al. ('572), Apps et al. ('461), Apps et al. ('176), Apps ('352), Hammett ('487), Apps et al. ('002) and Apps et al. ('874).

Each of the references discloses a low depth bottle tray having an interior grid structure comprised of at least ten walls (four extending longitudinally and six extending transversely to the container) and three interior columns, a divider wall includes two of the ten walls which are parallel to each other and spaced transversely from each other and are transversely aligned, a divider wall could also include two of the ten walls which are longitudinally aligned with each other (either aligned longitudinally with respect to the container or transversely with respect to the container). A divider wall could also include two of the ten walls which are perpendicular with respect to each other. Hammett ('487) discloses ribs 30 which could be considered to form with the wall-from which it extends a "double walled construction."

Claims 1-36 are rejected under 35 U.S.C. 102(e) as being anticipated by Apps et al. ('793).

A similar line of reasoning applies in this rejection as is stated in the above rejection.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person

Application/Control Number: 09/836,045

Art Unit: 3727

having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Apps et al. ('793), Apps et al. ('572), Apps et al. ('461), Apps et al. ('176), Apps ('352), Hammett ('487), Apps et al. ('002) or Apps et al. ('874) in view of McGrath ('844) and Cornelius et al. ('767).

This rejection is made insofar as the anticipation rejection doesn't disclose a two-wall-leach IW defining two spaced apart surfaces divider wall wherein the two walls are parallel to each other and spaced transversely of each other and connected to the bottom-wall-and-connected-to-at-least-two-of the same side walls, end walls-or-interior-columns.

The primary references disclose the invention except for the divider wall being a double dw, each dwdet and the spaced spart walled construction. McGrath and Cornelius et al. teach dividers of double-walled construction (two-walls-parallel-to-each other and-spaced-transversely-of-each-other-and-connected-to-the-bottom wall and connected to at least two-of-the-same side walls; end-walls or interior columns).

It would have been obvious to modify the primary references to have dividers of double walled construction in order to strengthen the divider wall and to provide a greater amount of separation between bottles in the bottle trays so that the bottles will not touch one another or become damaged due to sudden impact loads on the transporting bottle tray.

Applicant's arguments filed December 16, 2002 have been fully considered but they are not persuasive.

Applicant points to examiner's remarks in making a 103 rejection to support a finding that the divider walls are not of double-walled construction. Applicant has not sufficiently discussed the structure of the prior art references to overcome the anticipatory rejections. The art applied in the anticipatory rejection discloses a plurality of double-walled divider walls.

Application/Control Number: 09/836,045

Art Unit: 3727

McGrath clearly discloses in Fig. 25 and 30 that base 50 has a triple-walled construction including two outwardly extending walls which have outwardly facing surfaces which contact bottles supported within the bottle crate and one interior wall formed as a upwardly extending portion of floor 17. An element that is triple-walled construction is double-walled construction.

Applicant has further delineated the claims by mentioning that the bottle retaining pockets are sized to receive a single bottle. If the pocket receives more than one bottle, the pocket is still sized to receive a single bottle.

Applicant doesn't sufficiently respond to the 103 rejection by commenting on the motivation relied upon. Applicant points to the differences between the invention and the secondary references of McGrath ('844) and Cornelius et al. ('767). The difference between the invention and the primary references should be discussed and is of greater importance.

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

· · · ·

Application/Control Number: 09/836,045

Art Unit: 3727

Page 5

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen J. Castellano whose telephone number is 703-308-1035. The examiner can normally be reached on M-Th 6:30-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lee W. Young can be reached on 703-308-2572. The fax phone numbers for the organization where this application or proceeding is assigned are 703-872-9302 for regular communications and 703-872-9303 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-1148.

Stephen J. Castellano Primary Examiner Art Unit 3727

sjc March 13, 2003